

cue

Price List September 2011

1	Packages				
ST0045	Elite-A-7	April 2011	Complete Wired 7" touch panel control system package including wired tabletop t	4'395.60	4'070.-
ST0046	Elite-S-7-W	April 2011	Complete Wired 7" touch panel control system package including wired on-wall to	4'244.40	3'930.-
ST0047	Elite-S-7-B	April 2011	Complete Wired 7" touch panel control system package including wired build-in to	4'449.60	4'120.-
ST0048	Elite-A-12	April 2011	Complete Wired 12" touch panel control system package including wired tabletop	5'551.20	5'140.-
ST0049	Elite-S-12-W	April 2011	Complete Wired 12" touch panel control system package including wired on-wall t	5'400.00	5'000.-
ST0050	Elite-S-12-B	April 2011	Complete Wired 12" touch panel control system package including wired built-in t	5'529.60	5'120.-
ST0044	Elite-A-4X02-B		Complete Wired 3.5" touch panel control system package including wired build-in	3'056.40	2'830.-
ST0042-004	Elite-A-4X02-R8		Complete Wired 3.5" touch panel control system package including touchCUE-4X	3'596.40	3'330.-
ST0042-014	Elite-A-4X02-R8		Complete Wired 3.5" touch panel control system package including touchCUE-4X	3'596.40	3'330.-
ST0041-004	Elite-B-6X02		Complete Wired 6.4" touch panel control system package including touchCUE-6X	3'445.20	3'190.-
ST0041-014	Elite-B-6X02		Complete Wired 6.4" touch panel control system package including touchCUE-6X	3'445.20	3'190.-
ST0038-004	Elite-B-6X10-TD		Complete Wireless bi-directional 6.4" touch panel control system package includir	4'665.60	4'320.-
ST0038-014	Elite-B-6X10-TD		Complete Wireless bi-directional 6.4" touch panel control system package includir	4'665.60	4'320.-
ST0040-004	Elite-A-6X10-TD		Complete Wireless bi-directional 6.4" touch panel control system package includir	5'497.20	5'090.-
ST0040-014	Elite-A-6X10-TD		Complete Wireless bi-directional 6.4" touch panel control system package includir	5'497.20	5'090.-
ST0039-004	Elite-A-8X10-TD		Complete Wireless bi-directional 8.4" touch panel control system package includir	5'886.00	5'450.-
ST0039-014	Elite-A-8X10-TD		Complete Wireless bi-directional 8.4" touch panel control system package includir	5'886.00	5'450.-
2	Wireless Touch Panels				
CS0305-004	airCUE-6X10		Wireless Wi-Fi enabled 6.4" active color touch Panel. Resolution 800 x 600 pixels	3'520.80	3'260.-
CS0305-014	airCUE-6X10		Wireless Wi-Fi enabled 6.4" active color touch Panel. Resolution 800 x 600 pixels	3'520.80	3'260.-
CS0300-004	airCUE-8X10		Wireless Wi-Fi enabled 8.4" active color touch Panel. Resolution 800 x 600 pixels	3'898.80	3'610.-
CS0300-014	airCUE-8X10		Wireless Wi-Fi enabled 8.4" active color touch Panel. Resolution 800 x 600 pixels	3'898.80	3'610.-
CS0306-004	airCUE-6X Tabletop Docking Sta		Optional accessories for 6.4" airCUEs.It recharges battery while docked. Stainless	719.30	666.-
CS0306-014	airCUE-6X Tabletop Docking Sta		Optional accessories for 6.4" airCUEs.It recharges battery while docked. Graphit C	719.30	666.-
CS0307-004	airCUE-6X Wall Docking Station		Optional accessories for 6.4" airCUEs.. It recharges battery when docked. Stainle	719.30	666.-
CS0307-014	airCUE-6X Wall Docking Station		Optional accessories for 6.4" airCUEs.. It recharges battery when docked. Graphit	719.30	666.-
CS0301-004	airCUE-8X Tabletop Docking Sta		Optional accessories for airCue-8X10. It recharges battery while docked. Stainless	770.05	713.-
CS0301-014	airCUE-8X Tabletop Docking Sta		Optional accessories for airCue-8X10. It recharges battery while docked. Graphit C	770.05	713.-
CS0302-004	airCUE-8X Wall Docking Station		Optional accessories for airCue-8X10. It recharges battery while docked. Stainless	770.05	713.-
CS0302-014	airCUE-8X Wall Docking Station		Optional accessories for airCue-8X10. It recharges battery while docked. Graphit C	770.05	713.-
3	Wired Touch Panels		cuenium2		
CS0375	touchCUE-7	April 2011	Wired color touch panel 7", 800 x 480 pixels, Tabletop model, aluminum enclosur	2'840.40	2'630.-
CS0377	touchCUE-7-W	April 2011	Wired color touch panel 7", 800 x 480 pixels, On-wall model, aluminum enclosure.	2'840.40	2'630.-
CS0376	touchCUE-7-B	April 2011	Wired color touch panel 7", 800 x 480 pixels, Built-in model, aluminum enclosure.	2'840.40	2'630.-
CS0382	touchCUE-12	April 2011	Wired color touch panel 12", 1280 x 800 pixels, Tabletop model, aluminum enclos	4'114.80	3'810.-
CS0384	touchCUE-12-W	April 2011	Wired color touch panel 12", 1280 x 800 pixels, On-wall model, aluminum enclosu	4'114.80	3'810.-
CS0383	touchCUE-12-B	April 2011	Wired color touch panel 12", 1280 x 800 pixels, Built-in model, aluminum enclosur	4'114.80	3'810.-
CS0409	Back Box		The metal back box for touchCUE-7-B and for touchCUE-12-B	164.15	152.-
4	Wired Touch Panels				
CS0352-004	touchCUE-4X02		Wired color touch panel 3.5", 320 x 240, Tabletop model, Stainless Steel / Black	1'630.80	1'510.-
CS0352-014	touchCUE-4X02		Wired color touch panel 3.5", 320 x 240, Tabletop Model. Graphit Grey / Black	1'630.80	1'510.-
CS0326-004	touchCUE-4X02-W		Wired color touch panel 3.5", 320 x 240, On-wall model. Stainless Steel / Black	1'630.80	1'510.-
CS0326-014	touchCUE-4X02-W		Wired color touch panel 3.5", 320 x 240, On-wall model. Graphit Grey / Black	1'630.80	1'510.-
CS0344-004	touchCUE-4X02-B		Wired color touch panel 3.5", 320 x 240, Built-in installation, Stainless Steel.	1'630.80	1'510.-
CS0344-MB	touchCUE-4X02-B Back Box		Back box for touchCUE-4X02-B	315.35	292.-
CS0286-004	touchCUE-6X02		Wired color touch panel 6.4", 640 x 480 pixels. Tabletop model, Stainless Steel / E	2'905.20	2'690.-
CS0286-014	touchCUE-6X02		Wired color touch panel 6.4", 640 x 480 pixels. Tabletop model, Graphit Grey / Bl	2'905.20	2'690.-
CS0351-004	touchCUE-6X02-W		Wired color touch panel 6.4", 640 x 480 pixels. On-wall model, Stainless Steel / Bl	2'905.20	2'690.-
CS0351-014	touchCUE-6X02-W		Wired color touch panel 6.4", 640 x 480 pixels. On-wall model, Graphit Grey / Blac	2'905.20	2'690.-
CS0285-004	touchCUE-8X02		Wired color touch panel 8.4", 800 x 600 pixels. Tabletop model, Stainless Steel / E	3'326.40	3'080.-
CS0285-014	touchCUE-8X02		Wired color touch panel 8.4", 800 x 600 pixels. Tabletop model, Graphit Grey / Bl	3'326.40	3'080.-
CS0350-004	touchCUE-8X02-W		Wired color touch panel 8.4", 800 x 600 pixels. On-Wall model, Stainless Steel / B	3'326.40	3'080.-
CS0350-014	touchCUE-8X02-W		Wired color touch panel 8.4", 800 x 600 pixels. On-Wall model, Graphit Grey / Bla	3'326.40	3'080.-
CS0393-004	touchCUE-12X02		Wired color touch panel 12.1", 800 x 600 pixels. Tabletop model, Stainless Steel /	3'898.80	3'610.-
CS0393-014	touchCUE-12X02		Wired color touch panel 12.1", 800 x 600 pixels. Tabletop model,. Tabletop model	3'898.80	3'610.-
CS0385-004	touchCUE-12X-Table Stand		Tilting tabletop stand for touchCUE-12X02 and touchCUE-12x22; Stainless Steel /	653.40	605.-
CS0385-014	touchCUE-12X-Table Stand		Tilting tabletop stand for touchCUE-12X02 and touchCUE-12x22;; Graphit Grey / t	653.40	605.-
CS0394-004	touchCUE-12X02-W		Wired color touch panel 12.1", 800 x 600 pixels. On-wall model, Stainless Steel / E	3'898.80	3'610.-
CS0394-014	touchCUE-12X02-W		Wired color touch panel 12.1", 800 x 600 pixels. On-wall model, Graphit Grey / Bl	3'898.80	3'610.-
CS0395-004	touchCUE-12X02-B		Wired color touch panel 12.1", 800 x 600 pixels.Built-in installation, Stainless Stee	3'898.80	3'610.-
CS0395-014	touchCUE-12X02-B		Wired color touch panel 12.1", 800 x 600 pixels. Built-in installation, Stainless Stee	3'898.80	3'610.-
CS0341-MB	touchCUE-12X-B Back Box		Back box for touchCUE-12X02-B and touch CUE-12X22-B	497.90	461.-
CS0341-MR	touchCUE-12X-B Rack Mount		Rack Mount panel 19" for touchCUE-12X02-B and touchCUE-12X22-B	357.50	331.-
5	Wireless Button Panels				
CS0324-004	irCUE		Wireless IR handheld button panel, 33 buttons. Includes tabletop docking station f	995.75	922.-
CS0324-014	irCUE		Wireless IR handheld button panel, 33 buttons. Includes tabletop docking station f	995.75	922.-
CS0169-C	irCUE Receiver 485		IR Reciever, ceiling mounted, for irCUE link.	271.10	251.-
CS0310-401	Tx Time Transmitters 2 buttons		Wireless RF wall mounted transmitter, 2 buttons. White / Ice White	101.50	94.-
CS0310-402	Tx Time Transmitters 2 buttons		Wireless RF wall mounted transmitter, 2 buttons. White / Ice Green	101.50	94.-
CS0310-403	Tx Time Transmitters 2 buttons		Wireless RF wall mounted transmitter, 2 buttons. White / White	101.50	94.-
CS0310-408	Tx Time Transmitters 2 buttons		Wireless RF wall mounted transmitter, 2 buttons. Titan	133.90	124.-

CS0310-431	Tx Time Transmitters 2 buttons	Wireless RF wall mounted transmitter, 2 buttons. Arctic blue	133.90	124.-
CS0310-432	Tx Time Transmitters 2 buttons	Wireless RF wall mounted transmitter, 2 buttons. Silver	133.90	124.-
CS0310-433	Tx Time Transmitters 2 buttons	Wireless RF wall mounted transmitter, 2 buttons. Champagne	133.90	124.-
CS0310-434	Tx Time Transmitters 2 buttons	Wireless RF wall mounted transmitter, 2 buttons. Anthracite	133.90	124.-
CS0311-401	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. White / Ice White	109.10	101.-
CS0311-402	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. White / Ice Green	109.10	101.-
CS0311-403	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. White / White	109.10	101.-
CS0311-408	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. Titan	145.80	135.-
CS0311-431	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. Arctic blue	145.80	135.-
CS0311-432	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. Silver	145.80	135.-
CS0311-433	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. Champagne	145.80	135.-
CS0311-434	Tx Time Transmitters 4 buttons	Wireless RF wall mounted transmitter, 4 buttons. Anthracite	145.80	135.-
CS0312-401	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. White / Ice White	101.50	94.-
CS0312-403	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. White/ White	101.50	94.-
CS0312-404	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. White / Ice Grey	101.50	94.-
CS0312-407	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. Caramel / Ice grey.	101.50	94.-
CS0312-421	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. Ivory / Ice White	101.50	94.-
CS0312-422	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. Agave / Ice White	101.50	94.-
CS0312-423	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. Stormy / Ice Grey	101.50	94.-
CS0312-424	Tx Element Transmitters 2 butt	Wireless RF wall mounted transmitter, 2 buttons. Carmine / Ice Grey	101.50	94.-
CS0313-401	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. White / Ice White	109.10	101.-
CS0313-403	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. White/ White	109.10	101.-
CS0313-404	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. White / Ice Grey	109.10	101.-
CS0313-407	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. Caramel / Ice grey.	109.10	101.-
CS0313-421	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. Ivory / Ice White	109.10	101.-
CS0313-422	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. Agave / Ice White	109.10	101.-
CS0313-423	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. Stormy / Ice Grey	109.10	101.-
CS0313-424	Tx Element Transmitters 4 butt	Wireless RF wall mounted transmitter, 4 buttons. Carmine / Ice Grey	109.10	101.-
CS0314-401	Tx Pocket 1	Wireless RF handheld remote, 1 button	79.90	74.-
CS0315-401	Tx Pocket 4	Wireless RF handheld remote, 4 button	79.90	74.-
CS0316-401	Tx Key	Wireless RF handheld remote, 2 button	79.90	74.-
CS0317-401	Tx Cross 4	Wireless RF handheld remote, 4 button	79.90	74.-
CS0318-401	Rx1 DIN / Data Receiver	Receiver for Tx Time, Tx Element and Tx Pocket transmitters.	427.70	396.-
CS0319-401	Rx Ext.	External receiver for Rx1 DIN /232 Receiver.	79.90	74.-
6 Wired Button Panels				
CS0287-004	keypadCUE-8-L	Wired on-wall mounted button panel, 8 buttons, Stainless Steel / Black.	389.90	361.-
CS0287-014	keypadCUE-8-L	Wired on-wall mounted button panel, 8 buttons, Graphit Grey / Black.	389.90	361.-
CS0288-004	keypadCUE-8-E	Wired on-wall mounted button panel, 8 buttons, Stainless Steel / Black.	389.90	361.-
CS0288-014	keypadCUE-8-E	Wired on-wall mounted button panel, 8 buttons, Graphit Grey / Black.	389.90	361.-
CS0221	keypadCUE-1G	Wired built-in Button-Panel, 8 Buttons, Bargraph, incl. plastic back box	393.10	364.-
CS0222	keypadCUE-2G	Wired built-in Button-Panel, 16 Buttons, 2 Bargraphs, incl. plastic back box	439.55	407.-
CS0223	keypadCUE-3G	Wired built-in Button-Panel, 24 Buttons, 2 Bargraphs, incl. plastic back box	488.15	452.-
7 ipCue Controllers				
CS0251	ipCUE-alpha	Ethernet IP enabled controller. One IP port, 6 bidirectional serial ports, 8 IR/serial	2'278.80	2'110.-
CS0252	ipCUE-beta	Ethernet IP enabled controller. One IP port, 2 bidirectional serial ports, 8 IR/serial	1'360.80	1'260.-
CS0253	ipCUE-gamma	Ethernet IP enabled controller. One IP port, 2 bidirectional serial ports, 2 IR/serial	1'360.80	1'260.-
CS0267	ipCUE-delta	Ethernet IP enabled controller. One IP port, 6 bidirectional serial ports, 8 IR/serial	2'721.60	2'520.-
CS0268	ipCUE-epsilon	Ethernet IP enabled controller. One IP port, 2 bidirectional serial ports, 8 IR/serial	1'890.00	1'750.-
CS0333	ipCUE-Sigma	Ethernet IP enabled controller. One IP port, 4 bidirectional serial ports, 4 IR/serial	2'116.80	1'960.-
8 Accessories for Controllers				
CS0251-MR	ipCue Rack Mounting Kit	Simple solution for installing ipCue controllers to the 19" rack.	193.30	179.-
CS0256	IR Adapter /i	IR emitter for controllers ipCUEs.	52.90	49.-
CS0295-001	IR Sprayer	Amplifies and emits infrared control signal and controls multiple IR controllable de	124.20	115.-
CS0295-002	IR Sprayer incl. Wall Mounting #	Amplifies and emits infrared control signal and controls multiple IR controllable de	194.40	180.-
CS0257	Opto-Input Adapter /i	Input adapter with photosensitive cell for ipCUEs	58.30	54.-
CA0180-P05	Serial IO Cable /i	Serial control cable for ipCUEs, 5-pin and NO connectors, lenght 0.5 m	58.30	54.-
CA0180-P30	Serial IO Cable /i	Serial control cable for ipCUEs, 5-pin and NO connectors, lenght 3 m	63.70	59.-
CA0180-PU	Serial IO Cable /i	Serial control cable for ipCUEs, 5-pin and NO connectors, user lenght (mini 5 m) ç	21.60	20.-
CA0181-P05	Serial IO Cable DTE /i	Serial control cable RS-232-DTE for ipCues, 5-pin and DB-9-M connectors, lenght	64.80	60.-
CA0181-P30	Serial IO Cable DTE /i	Serial control cable RS-232-DTE for ipCues, 5-pin and DB-9-M connectors, lenght	68.05	63.-
CA0181-PU	Serial IO Cable DTE /i	Serial control cable RS-232-DTE for ipCues, 5-pin and DB-9-M connectors, user l	23.75	22.-
CA0182-P05	Serial IO Cable DCE /i	Serial control cable RS-232-DCE for ipCues, 5-pin and DB-9-F connectors, lenght	64.80	60.-
CA0182-P30	Serial IO Cable DCE /i	Serial control cable RS-232-DCE for ipCues, 5-pin and DB-9-F connectors, lenght	68.05	63.-
CA0182-PU	Serial IO Cable DCE /i	Serial control cable RS-232-DCE for ipCues, 5-pin and DB-9-F connectors, user l	23.75	22.-
CS0271	Universal Serial Cable Adapter	Allows to connect serial controlled device equipped with any signal configuration o	162.00	150.-
CS0232	CUEwire Splitter	The CUEwire splitter enables connection between five devices with a use of CUEv	176.05	163.-
CA0140-P05	CUEwire Cable	CUEwire cable, (2) 4-pin connectors, lenght 0.5 m	48.60	45.-
CA0140-P30	CUEwire Cable	CUEwire cable, (2) 4-pin connectors, lenght 3.0 m	52.90	49.-
CA0140-PU	CUEwire Cable	CUEwire cable, (2) 4-pin connectors, user lenght (min. 5.0 m), price per meter	11.90	11.-
CA0183	Cable RS-485 to Pebus	This cable is used for RS-485 serial connection between controller and relayCUE-	17.30	16.-
9 Interfaces				
CS0265	SensorCUE	Temperature and daylight sensor, metal enclosure.	474.10	439.-

			List incl. 8% VAT	List excl. VAT
CS0289-101	SensorCUE-W	Temperature and daylight sensor plastic enclosure. White / Ice White	474.10	439.-
CS0191	inputCUE	Custom Panel Interface or additional system inputs, 8 digital Inputs	483.85	448.-
CS0334	inputCUE-W	Custom Panel Interface or additional system inputs, 8 digital Inputs, 8 output for LI	525.95	487.-
CS0201	sbiCUE-DMX	Interface for DMX512 bus	355.30	329.-
CS0163	PEC25	Converter between CUERING and PEbus, gate for system setup	294.85	273.-
CS0249-2	PEF150	Interface for fluorescent lamp dimming ballasts with DALI protocol, 230 VAC	511.90	474.-
CS0166-2	PEF200	Two-channel interface for fluorescent lamp dimming ballasts controlled by DSI, 23	511.90	474.-
CS0225-2	PEA208	Two-channel analog output 0 - 10 V, 2 power relays 8 A, 230 VAC	609.10	564.-
10	Power Switching Units			
CS0335-2	relayCUE-8	Eight-channel relay unit, 230 V / 10 A per relay. Serial channel control. Version 23C	590.75	547.-
CS0016	powerAUX	Eight-channel relay unit, 230 V / 16 A per relay. Parallel control.	365.05	338.-
CS0167-2	PER610	Six-channel relay unit, output 10 A per channel, 230 VAC Serial channel control.	545.40	505.-
CS0168	PES03	Three-channel suppressor unit for switching channels	156.60	145.-
11	Dimmers			
CS0164-2	PED108	One-channel dimmer for resistive and inductive loads, output 8 A, 230 VAC	601.55	557.-
CS0165-2	PED202	Two-channel dimmer for resistive and inductive loads, output 2.7 A per channel, 4	601.55	557.-
CS0244-2	PET102	One-channel dimmer for resistive and capacitive loads, output 2 A, 230 VAC	601.55	557.-
CS0245-2	PET105	One-channel dimmer for resistive and capacitive loads, output 5 A, 230 VAC	601.55	557.-
CA0130-05	PEbus Cable	Data cable for PEbus, length 0.5 m	14.05	13.-
CA0130-30	PEbus Cable	Data cable for PEbus, length 3.0 m	17.30	16.-
CA0130-U	PEbus Cable	Data cable for PEbus, user length (min. 5.0 m), price per meter	12.95	12.-
12	Power Supplies			
CS0332-001	CUEadapter-12J30	Power supply 12 VDC, 30 W. Power Jack output connector. European version.	110.15	102.-
CS0331-001	CUEadapter-24J30	Power supply 24 VDC, 30 W. Power Jack output connector. European version.	110.15	102.-
CS0292-001	CUEadapter /30W	Power supply 24 VDC, 30 W, 2-pin output connector. European version	110.15	102.-
CS0293-001	CUEadapter /65W	Power supply 24 VDC, 65 W, 2-pin output connector. European version	123.10	114.-
CS0367	CUEadapter-24DIN30	DIN rail compatible power supply 24 VDC / 30W	127.45	118.-
CS0368	CUEadapter-24DIN60	DIN rail compatible power supply 24 VDC / 60W	141.50	131.-
CS0369	CUEadapter-24DIN100	DIN rail compatible power supply 24 VDC / 100W	169.55	157.-
13	Ethernet & PoE			
CS0277-001	Wi-Fi Access Point	All-in-one router, 4-port switch and access point.	253.80	235.-
CS0366	PoE Ethernet Switch SX-1162	DIN rail compatible 5 port Ethernet switch, power supply 24 VDC	239.75	222.-
CS0327-001	PoE Adapter PSA16U	Data and power carried over one Ethernet cable, power supply up to 15.4 W.	98.30	91.-
CS0328-001	PoE Ethernet Switch SRW208M	8x 10/100 switched RJ-45 ports, 2x 10/100/1000 switched RJ-45/miniGBIC combc	987.10	914.-
14	Software			
PT0007	Cue Visual Composer	Brand new All-In-One software for CUE System programming where individual pai		
CS0405	pcCUE-standard	This software enables to use any Windows PC or Tablet as a Cue System control	409.30	379.-
CS0406	pcCUE-professional	This software enables to use any Windows PC or Tablet as a Cue System control	705.25	653.-
15	Applications			
CS0407	CRS Core Set	This set includes ipCUE-omega with preinstalled Cue Exchange Connector for Mic	2'991.60	2'770.-
CS040	CRS Single Room License	This License allows to run Cue Reservation System on a touch panels dedicated f	399.60	370.-
16	Display Controller			
CS0354	ipCUE-omega	The ipCUE-omega is powerfullIP enabled unit that serves as a controller, server,tc	2'430.00	2'250.-