

Description		LISTPRICE
Item Number	Modular Universal Format Video-Audio Seamless Switchers	CHF W/O VAT
C2-8000 Series	5 Slots for Audio, Video or Data Modules. Featuring DVI-U Universal Inputs and Outputs, DVI-U = DVI, HDMI, RGB, YPbPr, YUV, CV or YC via a DVI-I Connector. Features: 3 Scalers, 3D Processing, Key, PIP, Mix, Preview, Edge Blending, Embedded Audio Routing, 2 Independent Output Channels, IP & RS-232/422/485 Interface.	-
C2-8110	6x DVI-U In, 2x DVI-U Out	5 824.00
C2-8120	8x DVI-U In, 2x DVI-U Out	6 334.00
C2-8130	12x DVI-U In, 2x DVI-U Out	7 383.00
C2-8160	10x DVI-U In, 2x DVI-U Out, plus AES3-id Audio Interface Options: A2-7300 Series Audio Breakout Units	7 590.00
C2-8210	8x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out	8 266.00
C2-8260	6x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out, plus AES3-id Audio Interface Options: A2-7300 Series Audio Breakout Units	8 487.00
Item Number	C2-8000 Options and Accessories	
ZDC-2050	Composite Video Adapter - DVI Male to BNC Female	9.00
ZDB2048	YC (S-Video) Adapter - DVI Male to 2-BNC Female	9.00
ZDS2046	YC (S-Video) Adapter - DVI Male to 4-PIN Mini-DIN Female	9.00
ZDH-2040	Analog PC Adapter - DVI Male to HD-15 Female	9.00
ZDB-2038	Analog RGBHV Adapter Cable - DVI Male to 5-BNC Female - Length: 1.5' (0,5m)	33.00
ZDB2044	YPbPr/YUV Adapter Cable - DVI Male to 3-BNC Female - Length: 6" (150mm)	22.00
ZDR2042	YPbPr/YUV Adapter - DVI Male to 3-RCA Female	9.00
CMD1940	HDMI Adapter - DVI Male to HDMI Male	9.00
CMD1941	HDMI Adapter - DVI Male to HDMI Female	9.00
RM-120	Rear rack support rails to fit 600mm (24") deep Racks	179.00
RM-130	Rear rack support rails to fit 800mm (32") deep Racks	179.00
Item Number	Audio Breakout and Converter Boxes for Standalone or C2-8000	
A2-7312	AES3-id Breakout Panel (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES3-id I/O from C2-7310 to 16x BNC Connectors 8x AES-3id In and 8x AES-3id Out Works with C2-8000 Series or standalone with any other A2-7000 series unit	483.00
A2-7302	Digital Audio Converter Box (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES-3id I/O from C2-7310 to AES3 on XLR Connectors 8x AES Stereo Channels In and 8x AES Stereo Channels Out Works with C2-8000 Series or standalone with any other A2-7000 series unit	1 290.00
A2-7342	Analog Audio Converter Box (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES-3id I/O from C2-7310 to Analog Stereo on XLR Connectors 4x Analog Stereo Channels In and 4x Analog Channels Out Works with C2-8000 Series or standalone with any other A2-7000 series unit	1 373.00
Item Number	CORIOview Multi-Window Processors	
C2-6204	CORIOview 4-Window 3G/HD/SD-SDI Multiviewer. Max Res 1080p/60 (3G) Inputs: 4x SD/HD/3G-SDI plus 1x DVI-I for Background and Cascading Outputs: 1x SD/HD/3G-SDI, plus 1x DVI-I Options: C2M-TALLY Tally Module	4 526.00
C2-6104A	CORIOview 4-Window DVI-U Multiviewer. Max Res 1920x1200, 1080p Inputs: 4x DVI-U plus 1x DVI-I for Background and Cascading Output: 1x DVI-I Options: C2M-TALLY Tally Module	4 526.00
Item Number	C2-6000 Series Options and Accessories	
RM-110	Rear rack support rails for C2-3000, 4000, 5000, 6000 and 7000 Series	97.00
C2M-TALLY	Tally Module for C2-6104A and C2-6204 Multiviewers	329.00
Item Number	4K Multiviewer	
1T-MV-8474	Four window 4K Multiviewer. 4-window layouts, 16-preset window layouts Inputs: 4x HDMI 2x DP 1x VGA/YPbPr. Assignable front panel and remote buttons, Full system control via API, Full switching control from front panel. Supports 4K 3840x2160@60Hz input, 4K 3840x2160@30Hz output IR remote, RS232, Ethernet and WebGUI control.	5 106.00
Item Number	Universal 3G/HD/SD-SDI Converter	
C2-2375A	Universal 3G Up/Down/Cross Converter w/Audio Processing. Max HD-SDI 1080p/60 (3G) Inputs: 1x 3G/HD/SD-SDI, 2x DVI-U (DVI, YUV, YPbPr, RGB, CV, YC), 1x SDI & BB Ref Outputs: 2x 3G/HD/SD-SDI, 2x DVI-U (DVI, YUV, YPbPr, RGB, CV, YC) Options: Audio Interface for A2-7300 Series	4 761.00
Item Number	C2-2375A Options and Accessories	
CM-3GSDI-1IN-10OUT	Input/Output Module providing an additional 1x 3G-SDI Input and 2x 3G-SDI Outputs	1 032.00
RM-120	Rear rack support rails for C2-2375A to fit 600mm (24") deep Racks	
RM-130	Rear rack support rails for C2-2375A to fit 800mm (32") deep Racks	
CM-AUD-8IN-8OUT	Tech Centre Fit Audio Interface Module (8-In/8-Out) for C2-2375A/C2-8000 to use A2-7300 Series Breakout Units	

Item Number	Video Scaler/Switchers	
C2-2755	Up/Cross Converter. New menus, navigation & button layout. Zoom, Shrink , PIP, Crop, Key, Audio De-embedding / Embedding, Still Image Store, Logo. 6 Inputs: U-DVI, HDMI, 3G/HD/SD-SDI, PC/HD, CV, YC. Audio: 3.5mm Input, Phoenix Audio Inputs/Outputs Only HDMI and DVI-I Outputs, RS-232, IP Control. (Replacement for the C2-22xxA series)	2 422.00
	NEW	
Item Number	Edge Blending Video Processor	
C2-2450A	Edge Blending Module - Requires 1 module per image Edge Blending Only - No Key, Mix, PIP, etc. In/Out: DVI-I PC/HD, Analog PC/HD/YUV via HD15 Control: RS-232, IP. Options: RM-220 Rackmount	1 967.00
Item Number	Universal Video Scaler/Switchers	
C2-2855	Universal Scaler PLUS Up/Down/Cross Converter. New menus, navigation & button layout. Zoom, Shrink , PIP, Crop, Key, Audio De-embedding / Embedding, Still Image Store, Logo. 6 Inputs: U-DVI, HDMI, 3G/HD/SD-SDI, PC/HD, CV, YC. Audio: 3.5mm Input, Phoenix Audio Inputs/Outputs 5 Out:1x DVI-U, 1x SDI, 1x HDMI, 1x CV, 1x YC. RS-232, IP Control. (Replacement for the C2-23xxA series)	2 822.00
	NEW	
Item Number	Down Converters (Scan Converters)	
C2-160	Internal RGB/YPbPr Down Converter with Genlock, PIP, Key, Mix 3 Inputs: 1xRGB/YPbPr/YUV via HD-15, plus Background Inputs: 1xCV, 1xYC 2 Outputs: 1xCV, 1xYC RS-232 or IR.	800.00
C2-2655	Down Converter. New menus, navigation & button layout. Zoom, Shrink , PIP, Crop, Key, Audio De-embedding / Embedding, Still Image Store, Logo. 5 Inputs: U-DVI, HDMI, PC/HD, CV, YC. Audio: 3.5mm Input, Phoenix Audio Inputs/Outputs 5 Outputs:1x DVI-U, 1x SDI, 1x HDMI, 1x CV, 1x YC. RS-232, IP Control. (Replacement for the C2-21xxA series)	2 263.00
	NEW	
Item Number	Input Expansion Modules/Standalone Switchers	
S2-108HD	8x2 HD-SDI (or SD-SDI) Switcher with C2 Interface, RS-232 and IR 8-Inputs x 2-Output HD-SDI (or SD-SDI) via BNC w/Embedded Stereo Option: RM-220 Rackmount	1 373.00
S2-105DVIA	5x1 DVI-D and Stereo Audio Switcher. Max Resolution 1080p, 1920x1200 5-Inputs x 1-Output DVI-D and High Impedance Stereo Audio via 3.5mm Mini-Stereo IR, RS-232. Direct Interface to C2 Series. Option: RM-220 Rackmount	807.00
Item Number	Accessories for C2-2xxxA & S2 Series	
P2-105	Multi Power Supply for up to 5x S2 or C2 units requiring external power Input: 100-240VAC, 50-60Hz. Output 5x 12V@1A. Option: RM-220 Rackmount Note: This is an alternative to the individual power adapters included with all products	186.00
Item Number	Matrix Routing Switchers	
1T-MX-6344	4x4 HDMI v1.3 Matrix Routing Switcher - Max Res UXGA, 1080p Max Resolution: UXGA, 1080p. Max Distance: 20 Meters at 1080p I/O Connectors: HDMI. DVI Compatible IR, RS-232. IR Extender & Rackmount Ears included	1 518.00
MX-5288	8x8 DVI-D Matrix Routing Switcher - Max Res WUXGA, 1080p Video Input/Output: 8x DVI-D via DVI-I IR, RS-232 and IR. Rackmount Ears included	2 753.00
MX-6388	8x8 HDMI Matrix Routing Switcher - Max Resolution: up to WUXGA, 1080p. 8x HDMI Inputs, 8x HDMI Outputs, HDMI 1.3, Full HDCP compliant Embedded Audio: DTS-HD Master Audio, Dolby True-HD, DTS, DD+, DD Control by Front Panel, IR, RS-232, Ethernet. IR Extender & Rack Mount incl.	3 657.00
	End Of Life	
MX-8488	8x8 HDMI over HD-BaseT Matrix Routing Switcher - support IR and POH	7 590.00
More Matrix Router can be found in the CORIOmax and Magenta Pricelist		
Item Number	Replacement and Optional Power Supplies	
PS-ATS-1233-LOCK	Universal 12VDC@3.3A IEC Power Adapter with UK,EU,US or AU AC Power Cord and Locking DC	33.00
PS-12-12-LOCK-UNIV	Universal 12VDC@1,25A Power Adapter with US, UK and European AC Plug and Locking DC Plug	19.00
Item Number	Options, Accessories and Spares	
RM-110	Rear rack support rails for C2-3000, 4000, 5000, 6000 and 7000 Series	97.00
RM-120	Rear rack support rails for C2-2375A to fit 600mm (24") deep Racks	179.00
RM-130	Rear rack support rails for C2-2375A to fit 800mm (32") deep Racks	179.00
RM-220	Single/Dual Rackmount Frame for C2-1000/2000 and S2 Series Products	67.00
RM-230	Single/Dual Rackmount Frame for C2-1000/2000 , S2 and 1T-C2 Products	97.00
C2M-TALLY	Tally Module for C2-6104A and C2-6204 Multiviewers	329.00
CM-AUD-8IN-8OUT	Tech Centre Fit Audio Interface Module (8-In/8-Out) for C2-2375A/C2-8000 to use A2-7300 Series Breakout Units	1 032.00
Item Number	Optional DVI & HDMI Cables & Adapters	
ZDC-2050	Composite Video Adapter - DVI Male to BNC Female	9.00
ZDB2048	YC (S-Video) Adapter - DVI Male to 2-BNC Female	9.00
ZDS2046	YC (S-Video) Adapter - DVI Male to 4-PIN Mini-DIN Female	9.00
ZDH-2040	Analog PC Adapter - DVI Male to HD-15 Female	9.00
ZDB-2038	Analog RGBHV Adapter Cable - DVI Male to 5-BNC Female - Length: 1.5' (0.5m)	33.00
ZDB2044	YPbPr/YUV Adapter Cable - DVI Male to 3-BNC Female - Length: 6" (150mm)	22.00
ZDR2042	YPbPr/YUV Adapter - DVI Male to 3-RCA Female	9.00
CMD1940	HDMI Adapter - DVI Male to HDMI Male	9.00
CMD1941	HDMI Adapter - DVI Male to HDMI Female	9.00
Item Number	Optional Audio Cables & Adapters	
ZA7392-2	A2-7300 Audio Interconnect Cable - 6' (0,6m) - HD-44 Male on both ends	27.00

Item Number	HDTV LCD Monitors	
LM-1750HDW	17" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, HDMI, PC, YC, YUV/YPbPr via 3-BNC, CV PC resolutions up to 1400x900. HD to 1080p Front Panel Tally Indicators with external input. RS-232. NTSC-PAL Auto-detection	4 126.00
LM-404HDA	Quad 4.3" High Definition Universal LCD Monitor with Audio in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YPbPr via 3-BNC, CV PC resolutions up to 1400x900. HD to 1080p Front Panel Tally Indicators with external input. RS-232. NTSC-PAL Auto-detection	6 072.00
LM-702HDA	Dual 7" High Definition Universal LCD Monitor with Audio in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YPbPr via 3-BNC CV via BNC PC resolutions up to 1024x768. HD to 1080p Front Panel Tally Indicators with external input. NTSC-PAL Auto-detection	4 278.00
LM-503HDA	Triple 5" High Definition Universal LCD Monitor with Audio in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YPbPr via 3-BNC CV via BNC PC resolutions up to 1024x768. HD to 1080p Front Panel Tally Indicators with external input. NTSC-PAL Auto-detection	5 106.00

Description		LISTPRICE
Item Number	DVI-HDMI Video Scalers	
1T-C2-750	Dual PIP DVI-I Scaler with Key, Mix & Seamless Switching. Max DVI 1920x1200, 1080p Input: 2x DVI-I. Output: 1x DVI-I. Max Analog RGB Res 2048x2049, 1080p HDCP Compliant, HDMI Compatible. Two integral Still Image Stores IR, RS-232. Options: RM-230 Rackmount Kit	1 097.00
1T-VS-658	Cross/Up Converter - Video/PC/HD/Stereo to HDMI. Max Res 1920x1200, 1080p Input: 1xYUV/YpPr, 1xCV, 1xYC, 1x RGB/YpPr, 4xStereo, 1xSPDIF Coaxial Audio Output: 1xHDMI with Embedded Audio, 1x Separate SPDIF Coaxial Audio IR, RS-232. Optional RM-220 Rackmount	731.00
1T-VS-647	3G-SDI to HDMI Scaler with SDI Loop-thru and Audio Out Input: 3G-SDI Output: HDMI, Stereo Audio, SDI Loop-thru	800.00
1T-VS-558	Cross Converter - PC/HD/DVI to PC/HD/DVI. Max Res 1920x1200, 1080p Input: DVI via DVI-I and RGB/YpPr via HD-15. Output: DVI via DVI-I and RGB via HD-15 IR, RS-232. Optional RM-220 Rackmount	731.00
1T-VS-624	Cross Converter - Analog PC/HD to HDMI. Max Res 1920x1200, 1080p Input: RGB, Analog Stereo, Toslink Digital Audio. Max Res 1920x1200, 1080p Output: HDMI (DVI Compatible), Analog Stereo, Toslink Digital Audio	490.00
1T-VS-626	Cross Converter - HDMI to HDMI with Audio Delay. Max Res 1920x1200, 1080p Input/Output: HDMI (DVI Compatible), SPDIF Audio via Toslink Adjustable Delay for Lip Sync Correction	428.00
1T-VS-622	Up Converter - Video/Stereo to HDMI. Max Res 1920x1200, 1080p Input: CV, SV, Analog Stereo, Toslink Digital Audio Output: HDMI (DVI Compatible), Analog Stereo, Toslink Digital Audio	490.00
1T-VS-668	Multi Input Switcher /Scaler with Audio Embedder / de-embedder. Max Res 1920x1200, 1080p Input: 1x CV, 1x Comp.Video, 3x VGA, 3x HDMI Output: 2x HDMI (DVI Compatible), VGA. Audio: Analog Stereo, COAX Supports EDID and HDCP. OSD, IR, RS-232, on-panel control. 19" unit	1 001.00
1T-VGA-DVI	Cross Converter - PC/HD to DVI. Max Res 1280x1024, 1080i Input: RGB/YpPr via HD-15. Output: DVI-I	490.00
1T-V1280DVI	Up Converter - Video to DVI. Max Res 1280x1024, 1080i Input: CV, YC, YUV. Output: DVI-I	373.00
Item Number	Analog Video Scalers	
1T-C2-400	Cross Converter - Analog PC/HD to PC/HD. Max Res 2048x2048, 1080p Input/Output: RGB/YpPr via HD-15 IR, RS-232. Options: RM-230 Rackmount Kit	386.00
1T-C2-250	Up Converter - CV/YC to Analog PC/HD, plus Key & Mix. Max Res 1080p, 2048x2048 Input: CV, YC, RGB/YpPr (Bypass). Output: RGB/YpPr via HD-15 IR, RS-232. Options: RM-230 Rackmount Kit	490.00
Item Number	Analog Down Converters (Scan Converters)	
1T-C2-100	RGB/YpPr to Video Down Converter with CORIO2 Technology Input: RGB/YpPr via HD-15. Max Resolution 1080p, 2048x2048 Output: 2xCV, 2xYC IR, RS-232. Options: RM-230 Rackmount Kit	642.00
1T-C2-150	RGB/YpPr to Video Down Converter with CORIO2 Technology, plus Key, Mix Input: RGB/YpPr via HD-15. Max Resolution 1080p, 2048x2048 Background Input: CV, YC. Output: CV, YC IR, RS-232. Options: RM-230 Rackmount Kit	807.00

Item Number	Format Converters without Scaling	
1T-C2-520	DVI-I to HD-SDI Converter (No Scaling). Max Resolution 1080i Input: DVI-I, YPbPr/YUV via 3-BNC Output: SD/HD SDI via BNC Options: RM-230 Rackmount Kit	807.00
1T-FC-677	3G/HD/SD-SDI to HDMI v1.3 Converter with built-in SDI Distribution Amplifier Input: 3G/HD/SD-SDI Outputs: HDMI v1.3, Analog Stereo Audio, 2x Reclocked 3G/HD/SD-SDI Options: RM-230 Rackmount Kit	442.00
1T-FC-766	HDMI v1.3 to 3G/HD/SD-SDI Converter Input: HDMI v1.3, Stereo Audio Outputs: 2x 3G/HD/SD-SDI Options: RM-230 Rackmount Kit	497.00
1T-FC-326	HDMI to YPbPr/YUV Component + Audio Converter (No Scaling). Max Res 1080p Inputs: 2x HDMI (Selectable). HDCP Compliant Output: YPbPr/YUV via 3-RCA, SPDIF Coaxial Audio via RCA & Stereo via 3.5mm Mini Options: RM-230 Rackmount Kit	359.00
1T-DVI-HDMI	DVI + SPDIF Coaxial Audio to HDMI Converter (No Scaling) Maximum I/O Resolution: 1600x1200/60, 1920x1200/60 (reduced blanking) 1080p Input: DVI and SPDIF Coaxial Audio via RCA. Output: HDMI. HDCP Compliant HDCP Compliant	311.00
1T-HDMI-DVI	HDMI to DVI + SPDIF Coaxial Audio Converter (No Scaling) Maximum I/O Resolution: 1600x1200/60, 1920x1200/60 (reduced blanking) 1080p Input: HDMI. Output: DVI and SPDIF Coaxial Audio via RCA. HDCP Compliant	311.00
1T-FC-524	RGBHV/YPbPr/YUV Component to DVI Converter (No Scaling) Maximum I/O Resolution: 1920x1200, 1080p Input: HD-15. Output: DVI	221.00
1T-FC-425	DVI to RGBHV/YPbPr/YUV Component Converter (No Scaling) Maximum I/O Resolution: 1920x1200, 1080p Input DVI. Output: HD-15	200.00
Item Number	Standards Converters & TBC's	
1T-PAL-NTSC-GL	Standards Converter with Genlock - Ultra Compact Multi-standard NTSC-PAL-SECAM. 8-bit Conversion Input/Output: CV, YC	980.00
1T-TBC-GL	Time Base Corrector with Genlock - Ultra Compact Multi-standard NTSC-PAL-SECAM, Integral Processing Amplifier. 8-bit Conversion Inputs/Outputs: CV, YC	676.00
1T-TBC	Time Base Corrector - Ultra Compact Multi-standard NTSC-PAL-SECAM, Integral Processing Amplifier. 8-bit Conversion Inputs/Outputs: CV, YC	593.00
Item Number	Digital Routing Switchers	
1T-SX-644	4x1 HDMI v1.4 Switcher with Fast Switching Technology. Max Res: 1080p, 1920x1200 Deep Color support 36/30/24-bit, 1080p@60Hz. HDCP 1.4, CEC1.4, Dolby TrueHD RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	269.00
1T-SX-634	4x1 HDMI v1.3 Switcher. Maximum Resolution 1080p, 1920x1080 Signal Enhancement and Equalization. Maximum Distance 20 Meters (60 ft) RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	214.00
End Of Life		
1T-SX-632	2x1 HDMI v1.3 Switcher. Maximum Resolution 1080p, 1920x1080 Signal Enhancement and Equalization. Maximum Distance 20 Meters (60 ft) RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	166.00
Item Number	Analog Routing Switchers	
MX-3141PCA	4x1 RGB/YPbPr Component Video & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xRGB/YPbPr via HD-15 & 4xStereo Audio via 3.5mm Mini Stereo Output: 1xRGB/(No Suggestions) via HD-15 and 4xStereo Audio via 3.5mm Mini Stereo IR, RS-232. Rackmount Ears included	345.00
End Of Life		
MX-3141CSVA	4x1 Composite/YC (S-Video) & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xComposite via RCA, 4xYC via 4-Pin, 4xStereo via 2-RCA Output: 1xComposite via RCA, 1xYC via 4-Pin, 1xStereo via 2-RCA, 1xCoaxial via RCA IR, RS-232. Rackmount Ears included	345.00
End Of Life		
Item Number	Analog Signal Distribution Amplifiers	
1T-VGA-412	1x2 RGB/YPbPr DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 Optional RM-320 Rackmount	117.00
1T-VGA-414	1x4 RGB/YPbPr DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 Optional RM-320 Rackmount	207.00

Item Number	Digital Signal Distribution Amplifiers	
1T-DA-726	1x6 3G/HD/SD-SDI DA Maximum Distance 300m (1000 ft) @ SD and 150m (500ft) @ HD/3G Optional RM-220 Rackmount Kit	856.00
1T-DA-672	1x2 HDMI v1.4 DA. Max Res 4Kx2K/30 Hz, 1080p 60 Hz	304.00
1T-DA-674	1x4 HDMI v1.4 DA. Max Res 4Kx2K/30 Hz, 1080p 60 Hz	490.00
1T-DA-678	1x8 HDMI v1.4 DA. Max Res 4Kx2K/30 Hz, 1080p 60 Hz	725.00
1T-DA-552	1x2 DVI-D DA. HDMI v1.3 Compatible. HDCP Compliant. Max Res 1080p, 1920x1200 I/O Connectors: DVI-I. Maximum Distance 20 Meters (60 Ft) Optional RM-220 Rackmount Kit	400.00
1T-DA-554	1x4 DVI-D DA. HDMI v1.3 Compatible. HDCP Compliant. Max Res 1080p, 1920x1200 I/O Connectors: DVI-I. Maximum Distance 20 Meters (60 Ft) Optional RM-220 Rackmount Kit	504.00
1T-DA-564	Same as 1T-DA-554, plus separate Analog Stereo Audio and SPDIF Audio Analog Stereo via 3.5mm Mini-Stereo Connectors SPDIF via RCA Connectors	545.00
Item Number	Test Signal Generators	
1T-TG-DVI	DVI RGB/YpBPr Video Test Pattern Generator 25 Test Patterns Output: DVI - PC up to SXGA and HDTV up to 1080i	373.00
	End Of Life	
1T-TG-620	HDMI Test Pattern Generator 25 Test Patterns Output: HDMI - PC up to UXGA and HDTV up to 1080p, with embedded audio tone	373.00
Item Number	Miscellaneous Products	
1T-EDID-11	EDID/CEC Selector for HDMI v1.3, DVI 1.0 Selectable Resolutions: XGA, SXGA, UXGA, 720p, 1080i, 1080p Input/Output: HDMI	207.00
Item Number	Wall Plate Control Panel	
1T-CL-322-EU	European wall-plate control panel with 15-programmable buttons, 2-Programmable relays Ethernet port 10/100Mbps via RJ45 Connector, Supports PoE, WebUI interface for setup Supports up to 128-commands, Up to 15-macros each containing up to 16-commands Controls all equipment which can be set to Static or DHCP via a single TCP/IP Ethernet port	569.00
	NEW	
1T-CL-322-US	North American 16 button 2-Gang Wall-plate Control Panel with 16-programmable buttons Ethernet port (TCP/IP), WebUI interface for setup, Supports PoE Power over Ethernet Supports up to 128-commands, Up to 32-macros each containing up to 16-commands Controls all equipment which can be set to Static or DHCP via a single TCP/IP Ethernet port	569.00
	NEW	
Item Number	HDMI / DVI-D Signal Transmission DVI Transmission Set	
1T-CT-551	DVI + Audio over Cat.5 Transmitter. Max Res 1080p, 1920x1200	490.00
1T-CT-552	DVI + Audio over Cat.5 Receiver. Max Res 1080p, 1920x1200	490.00
Item Number	HDMI - HDbaseT (60m)Series LITE	
1T-CT-641	HDbaseT Lite Transmitter: HDMI ver1.4a over Single Cat.5e/6 Max Distance: 60M (196 ft). Input: HDMI. Output: Single Cat.5e/6 via RJ45	221.00
1T-CT-642	HDbaseT Lite Receiver: HDMI ver1.4a over Single Cat.5e/6 Max Distance: 60M (196 ft). Input: HDMI. Output: Single Cat.5e/6 via RJ45	221.00
1T-CT-647	7+1-Output Transmitter: HDMI ver1.4a over Single Cat.5e/6 with 7 Cat 5e/6 Outputs Max Distance: 60M (196 ft). Input: HDMI. Output: Outputs: 7 HDbaseT Outputs, 1x HDMI Loop out	1 725.00
Please check also the Magenta Transmission Systems		

Item Number	HDMI / DVI-D / RS232 / IR- HDBaseT (100m) Series	
1T-CT-653	Transmitter: HDMI ver1.4a over Single Cat.5e/6. Uses HDBaseT 5Play™ technology 5Play™: HDBase T, RS-232, IR. Max Distance: 100M (325 ft). Input: HDMI. Output: Single Cat.5e/6 via RJ45. PoE (Power over Ethernet) capability for Receiver 1T-CT-654	400.00
1T-CT-654A	Receiver: HDMI ver1.4a over Single Cat.5e/6. Uses HDBaseT 5Play™ technology RS-232, IR. Max Distance: Up to 100M (325 ft). Output: HDMI. Input: Single Cat.5e/6 via RJ45. Power Supply included for use with non 5 Play TX units Compatible Transmitters: 1T-CT-653 / CORIOmax HDBaseT module	400.00
1T-CT-653-USWP	Wall Plate Transmitter: HDMI ver1.4a over Single Cat.5e/6. Uses HDBaseT 5Play™	490.00
NEW		
1T-CT-654-USWP	Wall Plate Receiver: HDMI ver1.4a over Single Cat.5e/6. Uses HDBaseT 5Play™	490.00
NEW		
Item Number	HD-One - HDMI Extension Over UTP - Kits	
HD-One DX, Tx/Rx Kit 2211079-03	HD-One DX - HDMI Video and Audio Extension Kit; Includes Tx, Rx, (2) universal power supplies Extend HDMI with a single Cat6 cable - 1080P to 328' ft / 100m	690.00
HD-One LX, Tx/Rx Kit 2211078-02	HD-One LX - HDMI Video and Audio Extension Kit; Includes Tx, Rx, (2) universal power supplies Extend HDMI with a single Cat6 cable - 1080P to 328' ft with RS-232, audio and Infrared control	787.00
HD-One DX500, Tx/Rx Kit 2211114-02	HD-One DX500 - HDMI Video and Audio Extension Kit; Includes Tx, Rx, (2) universal power supplies. Extend HDMI with a single Cat6 cable - 1080P to 500' ft / 152m	869.00
HD-One LX500, Tx/Rx Kit 2211113-01	HD-One LX500 - HDMI Video and Audio Extension Kit; Includes Tx, Rx, (2) universal power supplies. Extend HDMI with a single Cat6 cable - 1080P to 500' ft with RS-232, audio and Infrared control	994.00
Item Number	HD-One - HDMI Extension Over UTP - Individual Units	
HD-One DX Transmitter 2211093-02	HD-One DX - HDMI Video and Audio Extension Transmitter; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 328' ft / 100	345.00
HD-One DX Receiver 2211094-02	HD-One DX - HDMI Video and Audio Extension Receiver; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 328' ft / 100m	345.00
HD-One LX Transmitter 2211095-02	HD-One LX - HDMI Video and Audio Extension Transmitter; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 328' ft with RS-232, audio and Infrared control	393.00
HD-One LX Receiver 2211096-02	HD-One LX - HDMI Video and Audio Extension Receiver; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 328' ft with RS-232, audio and Infrared control	393.00
HD-One DX500 Transmitter 2211121-01	HD-One DX500 - HDMI Video and Audio Extension Transmitter; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 500' ft / 152m	435.00
HD-One DX500 Receiver 2211122-01	HD-One DX500 - HDMI Video and Audio Extension Receiver; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 500' ft / 152m	435.00
HD-One LX500 Transmitter 2211123-01	HD-One LX500 - HDMI Video and Audio Extension Transmitter; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 500' ft with RS-232, audio and Infrared control	497.00
HD-One LX500 Receiver 2211124-01	HD-One LX500 - HDMI Video and Audio Extension Receiver; Includes power supply Extend HDMI with a single Cat6 cable - 1080P to 500' ft with RS-232, audio and Infrared control	497.00
Item Number	Optional and Replacment Power Supply for One-task products	
PS-ATS-1233-LOCK	Universal 12VDC@3.3A IEC Power Adapter with UK,EU,US or AU AC Power Cord and Locking DC	33.00
PS-G112-US1210-LOCK	Universal 12VDC@1A IEC Power Adapter with UK,EU,US or AU AC Power Cord and Locking DC	33.00
PS-G112-US0520-LOCK	Universal 5VDC@2A IEC Power Adapter with UK,EU,US or AU AC Power Cord and Locking DC	19.00
PS-12-12-LOCK-UNIV	Universal 12VDC@1,25A Power Adapter with US, UK and European AC Plug and Locking DC Plug	19.00
PS-05-26-LOCK-US	Universal 5VDC@2,6A Power Adapter with US type AC Plug and Locking DC Plug	19.00
PS-05-26-LOCK-EU	Universal 5VDC@2,6A Power Adapter with European type AC Plug and Locking DC Plug	19.00
PS-05-26-LOCK-UK	Universal 5VDC@2,6A Power Adapter with UK type AC Plug and Locking DC Plug	19.00
Item Number	Rackmount Accessories	
RM-220	Single/Dual Rackmount Frame for 1T-VS-558/658	67.00
RM-230	Single/Dual Rackmount Frame for 1T-C2-100/200/400/500 Series & 1T-FC-326	97.00
RM-320S	Single Rackmount Kit for 1T Units: SX-524, VGA-412/414, DA-472/474	43.00
RM-320D	Dual Rackmount Kit for 1T Units: SX-524, VGA-412/414, DA-472/474	43.00

Description		LISTPRICE
Item Number	Video Scalers	
1T-V1280HD-ST	Up Converter Scaler - Video to Analog PC/HD Input: CV, YC, YUV. Output: RGB/YpPr via HD-15 Output Maximum Resolutions: 1600x1200, 1080p (1080i Output is 540p doubled)	404.00
1T-PC1280HD	Cross Converter Scaler - Analog PC/HD to PC/HD Input: RGBHV Only via HD-15. Output: RGB/YpPr via HD-15 Input/Output Maximum Resolutions: 1920x1200, 1080p (1080i Output is 540p doubled)	404.00
1T-VS-434	Cross Converter Scaler - Analog PC/HD to PC/HD Input/Output: RGB/YpPr via HD-15 Input/Output Maximum Resolutions: 1920x1200, 1080p	471.00
1T-PCDVI-PCDVI	Cross Converter Scaler - Analog/Digital PC/HD/DVI to PC/HD/DVI Input: DVI via DVI-I and RGB/YpPr via HD-15 Output: DVI via DVI-I and RGB via HD-15 Input/Output Maximum Resolutions: 1920x1200, 1080p. IR Remote	792.00
Item Number	Down Converters	
AVT-3155A	PC to Video Down Converter Maximum Input Resolution 1600x1200 @ 60Hz Output: CV, SV - NTSC or PAL Selectable	202.00
VS-223	YPbPr Component to Video Down Converter Input: YPbPr Output: CV, SV, YPbPr Bypass	374.00
VS-226	HDMI to Video Down Converter Input: HDMI Output: CV/YC/Stereo	538.00
Item Number	Standards Converters	
AVT-1660	Digital Bi-directional NTSC-PAL-SECAM Converter Input/Output: CV, SV Field and Line Conversion, Full Color Bi-Directional Operation	374.00
CDM-830TR	Professional Grade Bi-directional NTSC-PAL-SECAM Converter in Rackmount Case Inputs: CV, SV, plus Genlock. Outputs: CV, SV and YUV Field and Line Conversion, Full Color Bi-Directional Operation	1 734.00
	End Of Life	
Item Number	HDMI Switchers	
AVT-6071	HDMI Multi-format Switcher-Up Converter Input: 3x HDMI, PC, 2x YPbPr, 2x CV/SV Output: HDMI. RS-232 IR and RS-232 Remote Control	471.00
Item Number	Signal Splitters	
AVT-4714	1x4 CV and Stereo Audio Splitter Input: CV and Stereo Audio. Output: 4x CV and 4x Stereo Audio Plastic Case. NTSC-PAL Compatible. RCA Video and Audio Connectors	142.00
Item Number	Miscellaneous Audio	
AP-411	Audio Delay - Variable 0-200 Milliseconds Dealy Audio Input: Analog Stereo via 2x RCA Connectors Audio Output: Analog Stereo via 2x RCA Connectors	135.00
AP-536	HDMI Audio Breakout Input: HDMI Output: HDMI, Toslink Audio, Analog Stereo via 2x RCA Connectors	239.00
Item Number	Miscellaneous Video	
AVT-8120	Quad Split Generator - 4 Images on 1 Video Screen Picture-In-Picture Capability 4x CV In and 1x Out. NTSC-PAL Compatible	404.00
AVT-8710	Multi-standard Time Base Corrector Input/Output: CV, SV. NTSC-PAL-SECAM Compatible Proc Amp Controls: Brightness, Contrast, Color Saturation and Hue	359.00